

PROGRESSIVE

TAPERLOCK



Unilateral Tolerance
 GO - Plus Tolerance
 NO GO - Minus Tolerance
 CHROME PLATED - ADD 30%

SIZE — RANGE	CLASS	TOLERANCE INCHES	AGD PROGRESSIVE MEMBER			QUANTITIES		HANDLE	
			MEMBER LENGTH	GO PORTION	NO GO PORTION	1	2 OR MORE	NO.	PRICE
TAPERLOCK STYLE .1501 in. to .230 in. 3.81 mm to 5.84 mm	XX X Y Z	.00002 .00004 .00007 .00010	1 ³ / ₁₆ in. 20.6 mm	1 ³ / ₃₂ in. 10.3 mm	9 ³ / ₃₂ in. 7.1 mm	86.00 73.00 64.00 51.00	83.00 68.00 59.00 47.00	0	13.00
.2301 in. to .365 in. 5.84 mm to 9.27 mm	XX X Y Z	.00002 .00004 .00007 .00010	1 ³ / ₁₆ in. 20.6 mm	3 ⁴ / ₁₆ in. 19.1 mm	5 ⁵ / ₁₆ in. 7.9 mm	92.00 76.00 65.00 53.00	85.00 72.00 61.00 50.00	1	13.00
.3651 in. to .510 in. 9.27 mm to 12.95 mm	XX X Y Z	.00002 .00004 .00007 .00010	1 ¹ / ₂ in. 38.1 mm	1 in. 25.4 mm	3 ⁸ / ₁₆ in. 9.5 mm	103.00 80.00 70.00 56.00	92.00 76.00 65.00 53.00	2	14.00
.5101 in. to .825 in. 12.95 mm to 20.96 mm	XX X Y Z	.00002 .00004 .00007 .00010	1 ¹ / ₈ in. 47.6 mm	1 ¹ / ₈ in. 31.8 mm	1 ¹ / ₂ in. 12.7 mm	102.00 83.00 74.00 58.00	97.00 78.00 70.00 56.00	3	15.00
.8251 in. to 1.135 in. 20.96 mm to 28.83 mm	XX X Y Z	.00003 .00006 .00009 .00012	2 ¹ / ₈ in. 54.0 mm	1 ¹ / ₈ in. 34.9 mm	5 ⁵ / ₁₆ in. 15.9 mm	119.00 92.00 77.00 66.00	113.00 86.00 73.00 63.00	4	16.00
1.1351 in. to 1.510 in. 28.83 mm to 38.35 mm	XX X Y Z	.00003 .00006 .00009 .00012	2 ³ / ₈ in. 60.3 mm	1 ¹ / ₂ in. 38.1 mm	3 ⁴ / ₁₆ in. 19.1 mm	129.00 110.00 92.00 78.00	121.00 104.00 86.00 74.00	5	17.00

PROGRESSIVE

TRILOCK



Unilateral Tolerance
 GO - Plus Tolerance
 NO GO - Minus Tolerance
 CHROME PLATED - ADD 30%

TRILOCK STYLE 1.5101 in. to 2.010 in. 38.35 mm to 51.05 mm	XX X Y Z	.00004 .00008 .00012 .00016	2 ⁷ / ₈ in. 73.0 mm	1 ¹ / ₈ in. 47.6 mm	7 ⁵ / ₁₆ in. 22.2 mm	182.00 153.00 135.00 109.00	174.00 143.00 128.00 103.00	5 ¹ / ₂	19.00
2.0101 in. to 2.510 in. 51.05 mm to 63.75 mm	XX X Y Z	.00004 .00008 .00012 .00016	3 in. 76.2 mm	2 in. 50.8 mm	7 ⁵ / ₁₆ in. 22.2 mm	239.00 193.00 164.00 136.00	226.00 185.00 157.00 129.00	6	20.00
2.5101 in. to 3.010 in. 63.75 mm to 76.45 mm	XX X Y Z	.00005 .00010 .00015 .00020	3 ³ / ₈ in. 79.4 mm	2 in. 50.8 mm	1 in. 25.4 mm	273.00 222.00 191.00 160.00	259.00 212.00 184.00 151.00	7	22.00
3.0101 in. to 3.510 in. 76.45 mm to 89.15 mm	XX X Y Z	.00005 .00010 .00015 .00020	3 ³ / ₈ in. 79.4 mm	2 in. 50.8 mm	1 in. 25.4 mm	322.00 249.00 221.00 186.00	304.00 237.00 211.00 175.00	7	22.00
3.5101 in. to 4.010 in. 89.15 mm to 101.85 mm	XX X Y Z	.00005 .00010 .00015 .00020	3 ³ / ₈ in. 79.4 mm	2 in. 50.8 mm	1 in. 25.4 mm	374.00 303.00 261.00 218.00	353.00 288.00 246.00 209.00	7	22.00
4.0101 in. to 4.510 in. 101.85 mm to 114.55 mm	XX X Y Z	.00005 .00010 .00015 .00020	3 ³ / ₈ in. 79.4 mm	2 in. 50.8 mm	1 in. 25.4 mm	425.00 341.00 297.00 243.00	404.00 323.00 279.00 233.00	7	22.00