


SIZE RANGE	CLASS	TOLERANCE INCHES	STANDARD A.G.D. BLANK SIZE	STEEL		CHROME	
			LENGTH O.D.	1	2-4	1	2-4
4.7601 in to 5.510 in 120.90 mm to 139.95 mm	XX	.000065	#12 Blank	430.00	383.00	561.00	497.00
	X	.00013	1½" 8¼"	377.00	339.00	492.00	438.00
	Y	.00019	38.1 mm 209.6 mm	344.00	299.00	448.00	397.00
	Z	.00025		315.00	279.00	407.00	363.00
5.5101 in to 6.260 in 139.95 mm to 159.00 mm	XX	.000065	#13 Blank	501.00	447.00	649.00	579.00
	X	.00013	1½" 9¼"	448.00	397.00	581.00	516.00
	Y	.00019	38.1 mm 235.0 mm	421.00	374.00	546.00	485.00
	Z	.00025		399.00	355.00	519.00	462.00
6.2601 in to 7.010 in 159.00 mm to 178.05 mm	XX	.00008	#14 Blank	600.00	534.00	782.00	696.00
	X	.00016	1½" 10¼"	562.00	501.00	728.00	662.00
	Y	.00024	38.1 mm 260.4 mm	516.00	458.00	671.00	596.00
	Z	.00032		495.00	442.00	642.00	572.00
7.0101 in to 7.760 in 178.05 mm to 197.10 mm	XX	.00008	#15 Blank	628.00	560.00	816.00	733.00
	X	.00016	1½" 11¼"	592.00	527.00	769.00	683.00
	Y	.00024	38.1 mm 285.8 mm	567.00	504.00	736.00	655.00
	Z	.00032		540.00	481.00	704.00	627.00
7.7601 in to 8.510 in 197.10 mm to 216.15 mm	XX	.00008	#16 Blank	725.00	645.00	941.00	837.00
	X	.00016	1½" 12¼"	665.00	592.00	862.00	769.00
	Y	.00024	38.1 mm 311.2 mm	604.00	569.00	831.00	738.00
	Z	.00032		609.00	541.00	791.00	705.00
8.5101 in to 9.260 in 216.15 mm to 235.20 mm	XX	.00008	#17 Blank	932.00	833.00	1211.00	1079.00
	X	.00016	1½" 13¼"	879.00	782.00	1142.00	1015.00
	Y	.00024	38.1 mm 336.6 mm	842.00	749.00	1095.00	972.00
	Z	.00032		817.00	727.00	1065.00	947.00
9.2601 in to 10.010 in 235.20 mm to 254.25 mm	XX	.00010	#18 Blank	1079.00	963.00	1401.00	1250.00
	X	.00020	1½" 14¼"	1014.00	904.00	1319.00	1173.00
	Y	.00030	38.1 mm 362.0 mm	939.00	837.00	1220.00	1085.00
	Z	.00040		878.00	781.00	1141.00	1013.00
10.0101 in to 10.760 in 254.25 mm to 273.30 mm	XX	.00010	#19 Blank	1209.00	1077.00	1572.00	1397.00
	X	.00020	1½" 15¼"	1123.00	999.00	1459.00	1299.00
	Y	.00030	38.1 mm 387.4 mm	1014.00	904.00	1319.00	1170.00
	Z	.00040		955.00	851.00	1244.00	1107.00
10.7601 in to 11.510 in 273.30 mm to 292.35 mm	XX	.00010	#20 Blank	1329.00	1184.00	1727.00	1538.00
	X	.00020	1½" 16¼"	1253.00	1115.00	1629.00	1451.00
	Y	.00030	38.1 mm 412.75 mm	1134.00	1011.00	1474.00	1312.00
	Z	.00040		1074.00	956.00	1395.00	1242.00
11.5101 in to 12.260 in 292.35 mm to 311.40 mm	XX	.00010	#21 Blank	1647.00	1454.00	2138.00	1904.00
	X	.00020	1½" 17¼"	1564.00	1395.00	2035.00	1811.00
	Y	.00030	38.1 mm 438.2 mm	1442.00	1283.00	1874.00	1665.00
	Z	.00040		1419.00	1262.00	1841.00	1640.00



PLAIN RING HOLDERS NET (Black Only)

#000	\$65.00
#0	\$65.00
#1	\$65.00
#2	\$65.00
#3	\$80.00
#4	\$80.00
#5	\$108.00

XXX Rings

Add 100% to XX prices .090" - 1.510"
Add 115% to XX prices 1.5101" - 2.510"
Add 130% to XX prices 2.5101" - 4.010"
Add 150% to XX prices 4.0101" - 6.010"
6.0101" and up - price on application

All ring gages regardless of class are lapped to size and polished.

Non-gaging areas are black oxidized and faces are ground flat.

Gage blanks meet all requirements of B47.1-1981.

Ring gages are manufactured in accordance with ANSI Specification B89.16-1981.

Roundness and taper of all gages will not exceed 50% of the applicable gagemakers size tolerance and are non-accumulative.

NOTE: Rings above 5.510 in./138.95 mm will not be furnished with tapped holes for ball handles unless specified. #7 ball handles available at a cost of \$32.00 ea. NET.
For quantities greater than 4 gages per size or a special assortment of size - price on application.